

sensio[®]

innovate. create. illuminate.

Lighting Wizard Catalog



Sensio America

Sensio, with its strong reputation for quality, is a recognized manufacturing leader in the lighting industry. Originally founded in 1999 in the UK, Sensio is now one of the foremost authorities in residential, furniture and commercial display solutions worldwide. Our extensive portfolio includes high quality LED products for the kitchen, bathroom and bedroom, as well as our innovative lines for the furniture and display industries.



Product Design & Development in the UK

Design and development has always been at the heart of what we do. We don't just follow the trends, we help set them. We design products in the UK, allowing us to put our expertise and industry knowledge to use to ensure every detail is designed with sheer excellence and to the highest standard.


With a focus on British lighting design & high quality products, we want to show you the future of LED furniture lighting solutions. We're always looking to the future and year on year we strive to design and develop new and unique concepts for you and your customers. Designs to truly inspire and bring your kitchen design to life, the way you want.

Our aim is to push the boundaries of our industry by designing and delivering the most innovative, unique products brought to you by our in-house team. We keep fully abreast of the latest consumer opinions and market trends; it's what fuels our ideas for new product development and prototypes.

We design products at our head office in West Yorkshire to ensure we have the highest degree of control and continually deliver new and innovative ideas to excite our customers. Helping you bring your customers visions to life is our inspiration which is why we will continue to listen and grow our own unique product offering. We don't just think lighting; we think cabinetry; to ensure our unique product offering enhances your designs.

Sensio Lighting for the 2020 Lighting Wizard

LIGHTING WIZARD



Manual Selection

Allows you to add products to the Item List for hardware calculation. These products will not be placed on the floor plan and they will not have any graphical representation.

#	Qty.	Urecode	Manuf Code	Type	Catlog	Price	Finished Side
1	1	B39		Q	SAMPLE_F_1	\$553.00	Left
2	1	B42		Q	SAMPLE_F_1	\$588.00	None
3	1	B39		Q	SAMPLE_F_1	\$553.00	None
4	1	B42		Q	SAMPLE_F_1	\$588.00	Right
5	1	W330	W330	Q	SAMPLE_F_1	\$265.00	Left
6	1	W4230	W4230	Q	SAMPLE_F_1	\$279.00	None
7	1	W330	W330	Q	SAMPLE_F_1	\$265.00	None
8	1	W4230					

Lighting Plan
2020
TECHNOLOGIES

PRODUCTS LIST

ID: Customer:

SEARCHING...

File name:
 Reference:
 Design ID:
 Design name:

Pre-Set

Standard

Adds task lighting under the wall cabinets. Choose between LED puck lights or strips. Warm or cool lighting color temperature.

Deluxe

Adds task lighting under the wall cabinets and accent lighting over the wall cabinets. Choose between LED puck lights or strips. Warm or cool lighting color temperature.

Premium

Adds task lighting under the wall cabinets, accent lighting over the wall cabinets, toe kick lighting and lights inside any cabinet with glass doors. Choose between LED puck lights or strips. Warm or cool lighting color temperature.

Custom

Allows you to specify the areas where to add lighting by choosing from lighting zones, light types, color temperature, etc. Gain control of your design by specifying spacing between lights and whether lights are dimmable. Use combinations of pucks and strips.

With the 2020 Lighting Wizard, you can now incorporate high quality LED lighting into your kitchen designs with just a few clicks of your mouse! There is no need to purchase any inventory or be a lighting expert. Sensio and 2020 make kitchen lighting easy.

You can place high definition puck lights and rigid or flexible strips under and over cabinets as well as rigid or flexible strips at the toe kick and inside cabinets. All lighting is powered by our quality built standard drivers or our unique, patent pending DayBreak dimmable drivers that work with standard wall dimmer switches.






Exclusive Lifetime Warranty

To us, the phrase "lifetime warranty" is more than just a marketing strategy. It's a sign of our integrity. Sensio America's Lifetime Warranty is the most comprehensive in the lighting industry. If there is a defect in the materials or workmanship of one of our products, we will replace it, period.



Sensio products have always been designed and built to a higher standard. Because we monitor the quality of every product we build, we back them with a Lifetime Warranty. Not three years, not five, but forever. You can feel confident selling a product that will last, and we'll stand behind it the whole time.

FEATURES

	Wattage 1.65
	Connector ML
	Dimmable Yes
	Lifespan 50,000 hours
	Certification UL

- The fitting is supplied with a collar and can be either surface or recess mounted
- Aluminum finish available with either cool white or warm white LED - great for both contemporary and traditional kitchens
- High Definition LED - each diode has a lens over it to intensify the light output
- Use as task lighting under cabinets or to illuminate cabinet interiors of glass cabinets
- Over 90% less energy used when comparing to halogen - save money on electricity bills when switching from halogen to HD LED
- Long lamp life - lasts up to 28 years more than halogen
- Can be used with the range of Sensio switches and dimmers



SA9005HD

HD LED Recess/Surface Light - This discreet HD LED fixture has 24 super bright LED diodes and can be surface mounted with included aluminum ring, or flush mounted. Our High Definition (HD) LED lights have a lens over each diode to make the light more intense. The convenient design allows this fixture to tuck out of the way or be mounted on almost any flat surface. The solid aluminum construction assures years of enjoyment. The long life span of 50,000 hours provides years of maintenance-free lighting. Extremely low power usage allows for many hours of guilt-free task or display lighting, and does so without generating excessive heat. Up to 9 lights may be run from our 15W driver and up to 12 lights may be run from our 30W driver. The SA9005HD can also be used with the Sensio DayBreak driver which enables you to dim the puck lights using standard wall dimmer switches. Available in aluminum finish.

SPECIFICATIONS

Product Code	Voltage	LED Qty	LED Color	Temperature	Lumens	Beam	Cable	Hole Cut	Length	Width	Depth
SA9005HDWH	24V	24	Cool White	5,000K	85 (51 LPW)	50°	8.2' (2.5m)	56mm	2.58" (65.5mm)	2.58" (65.5mm)	0.41" (10.5mm)
SA9005HDWW	24V	24	Warm White	3,200K	80 (48 LPW)	50°	8.2' (2.5m)	56mm	2.58" (65.5mm)	2.58" (65.5mm)	0.41" (10.5mm)

DRIVERS

Product Code	Description	Wattage	Ports
SA40654	24V non-dimmable driver with ML block	6W	4
SA40591	24V DayBreak dimmable driver with ML block	15W	12
SA40655	24V non-dimmable driver with ML block	20W	12
SA40656	24V non-dimmable driver with ML block	30W	12
SA40653	24V non-dimmable driver with ML block	50W	12
SA40616	24V DayBreak dimmable driver with ML block	72W	12
SA40658	24V non-dimmable driver with ML block	75W	12

ACCESSORIES

Product Code	Description	Length
SA9009	ML Extension Cable	8.2' (2.5m)

FEATURES

sensio



Certification
UL



Lifespan
50,000 hours



Dimmable
Yes



Connector
ML



Wattage
1.25

- This fitting has a depth of only 0.24in, making it perfect where invisible lighting is required
- Aluminum finish available with either cool white or warm white LED - great for both contemporary and traditional kitchens
- High Definition LED - each diode has a lens over it to intensify the light output
- Use as task lighting under cabinets or to illuminate cabinet interiors of glass cabinets
- Over 90% less energy used when comparing to halogen - save money on electricity bills when switching from halogen to HD LED
- Long lamp life - lasts up to 28 years more than halogen
- Can be used with the range of Sensio switches and dimmers

SA9007HD

HD LED Square Surface Light - This discreet HD LED fixture has 18 super bright LED diodes and is surface mounted for a slim and efficient light source. Our High Definition (HD) LED lights have a lens over each LED to make the light more intense. The convenient design allows this fixture to be mounted on almost any flat surface. The substantial thermoplastic construction assures years of enjoyment. The long life span of 50,000 hours provides years of maintenance-free lighting. Extremely low power usage allows for hours of guilt-free task or display lighting, and does so without generating excessive heat. This product is available in a kit which includes the driver and everything you need for installation. Up to 12 lights may be run from our 15W driver and up to 12 lights may be run from our 30W driver. Available in cool white and warm white light.

SPECIFICATIONS

Product Code	Voltage	LED Qty	LED Color	Temperature	Lumens	Beam	Cable	Length	Width	Depth
SA9007HDWH	24V	18	Cool White	5,000K	69 (55 LPW)	45°	8.2' (2.5m)	2.56" (65mm)	2.56" (65mm)	0.24" (6mm)
SA9007HDWW	24V	18	Warm White	3,200K	63 (50 LPW)	45°	8.2' (2.5m)	2.56" (65mm)	2.56" (65mm)	0.24" (6mm)

DRIVERS

Product Code	Description	Wattage	Ports
SA40654	24V non-dimmable driver with ML block	6W	4
SA40591	24V DayBreak dimmable driver with ML block	15W	12
SA40555	24V non-dimmable driver with ML block	20W	12
SA40656	24V non-dimmable driver with ML block	30W	12
SA40653	24V non-dimmable driver with ML block	50W	12
SA40616	24V DayBreak dimmable driver with ML block	72W	12
SA40658	24V non-dimmable driver with ML block	75W	12

ACCESSORIES

Product Code	Description	Length
SA9009	ML Extension Cable	8.2' (2.5m)

FEATURES

- Included mounting brackets allow for quick and simple installation
- Use this product for a variety of applications (over-cabinets, under-cabinet and at the toe kick to name a few)
- Over 90% less energy used when comparing to halogen - save money on electricity bills when switching from halogen to LED
- Long lamp life - lasts over 30 years at 4 hours per day
- Can be used with the range of Sensio switches and dimmers

sensio®



Certification
UL



Lifespan
50,000 hours



Dimmable
Yes



Connector
ML



Wattage
.8

SA10120

Rigid 11.81" 0.8W 12 Diode Strip Light- Link up to 18 of these 12 diode strips for runs of over 17 feet. This versatile rigid strip comes with 2 mounting brackets and screws for easy installation. Accessories including various power connection cords, flexible corner links, and end caps ensure a professional look limited only by your imagination. Feed power into one end of the series of strips and enjoy energy efficient LED lighting rated at 50,000 hours. Available in cool white and warm white light.

SPECIFICATIONS

Product Code	Voltage	LED Qty	LED Color	Temperature	Lumens	Beam	Length	Width	Depth
SA10120WH	12V	12	Cool White	5,000K	44 (55 LPW)	120°	11.81" (300mm)	0.31" (8mm)	0.24" (6mm)
SA10120WW	12V	12	Warm White	3,200K	40 (50 LPW)	120°	11.81" (300mm)	0.31" (8mm)	0.24" (6mm)

DRIVERS

Product Code	Description	Wattage	Ports	Product Code	Description	Length
SA40625	12V non-dimmable driver with ML block	6W	4	SA10124	Rigid Strip Driver Lead with ML Connector	8.2' (2.5m)
SA40659	12V non-dimmable driver with ML block	15W	12	SA10123	Rigid Strip Link Wire	11.81" (300mm)
SA40590	12V Day/Break dimmable driver with ML block	15W	12	SA10122	Rigid Strip Corner Connector	1.18" (30mm)
SA40626	12V non-dimmable driver with ML block	30W	12	SA10125	Rigid Strip End Caps	
SA40657	12V non-dimmable driver with ML block	60W	12	SA9009	ML Extension Cable	8.2' (2.5m)

ACCESSORIES

FEATURES

- Included mounting brackets allow for quick and simple installation
- Use this product for a variety of applications (over-cabinets, under-cabinet and at the toe kick to name a few)
- Over 90% less energy used when comparing to halogen - save money on electricity bills when switching from halogen to LED
- Long lamp life - lasts over 30 years at 4 hours per day
- Can be used with the range of Sensio switches and dimmers

sensio®



Certification
UL



Lifespan
50,000 hours



Dimmable
Yes



Connector
ML



Wattage
1.5

SA10121

Rigid 11.22" 1.5W 24 Diode Strip Light- Link up to 10 of these 24 diode strips for runs of over 9 feet. This versatile rigid strip comes with 2 mounting brackets and screws for easy installation. Accessories including various power connection cords, flexible corner links, and end caps ensure a professional look limited only by your imagination. Feed power into one end of the series of strips and enjoy energy efficient LED lighting rated at 50,000 hours. Available in both cool white and warm white light.

SPECIFICATIONS

Product Code	Voltage	LED Qty	LED Color	Temperature	Lumens	Beam	Length	Width	Depth
SA10121WH	12V	24	Cool White	5,000K	83 (55 LPW)	120°	11.22" (285mm)	0.31" (8mm)	0.24" (6mm)
SA10121WW	12V	24	Warm White	3,200K	75 (50 LPW)	120°	11.22" (285mm)	0.31" (8mm)	0.24" (6mm)

DRIVERS

Product Code	Description	Wattage	Ports	Product Code	Description	Length
SA40625	12V non-dimmable driver with ML block	6W	4	SA10124	Rigid Strip Driver Lead with ML Connector	8.2' (2.5m)
SA40659	12V non-dimmable driver with ML block	15W	12	SA10123	Rigid Strip Link Wire	11.81" (300mm)
SA40590	12V Day/Break dimmable driver with ML block	15W	12	SA10122	Rigid Strip Corner Connector	1.18" (30mm)
SA40626	12V non-dimmable driver with ML block	30W	12	SA10125	Rigid Strip End Caps	
SA40657	12V non-dimmable driver with ML block	60W	12	SA9009	ML Extension Cable	8.2' (2.5m)

ACCESSORIES

FEATURES

- Self-adhesive 3M tape backing allows for quick and simple installation
- Use this product for a variety of applications (over-cabinets, under-cabinet and at the toe kick to name a few)
- Over 90% less energy used when comparing to halogen - save money on electricity bills when switching from halogen to LED
- Long lamp life - lasts over 30 years at 4 hours per day
- Can be used with the range of Sensio switches and dimmers

sensio®



Certification
UL



Lifespan
50,000 hours



Dimmable
Yes



Connector
ML



Wattage
0.8

SA10310

Flexible 11.81" 0.8W 12 Diode Strip Light- This LED flexible strip measures 11.81" (300mm) and is easy to install with the 3M self-adhesive backing. This product's flexibility makes it ideal for even the most demanding applications such as curved walls or cabinetry. Easy to customize, the strip can be daisy chained end-to-end for longer runs (up to 36 with a 30W driver) and can also be cut to length if required. Additional products such as the T-Shape strip, corner connectors, and several lengths of link cables ensure your creative vision may be realized. Available in both cool white and warm white light.

SPECIFICATIONS

Product Code	Voltage	LED Qty	LED Color	Temperature	Lumens	Beam	Length	Width	Depth
SA10310WH	12V	12	Cool White	5,000K	45 (36 LPW)	120°	11.81" (300mm)	0.31" (8mm)	0.1" (2.5mm)
SA10310WW	12V	12	Warm White	3,200K	41 (33 LPW)	120°	11.81" (300mm)	0.31" (8mm)	0.1" (2.5mm)

DRIVERS

Product Code	Description	Wattage	Ports	Product Code	Description	Length
SA40625	12V non-dimmable driver with ML block	6W	4	SA10314	Flexible Strip Driver Lead with ML Connector	8.2' (2.5m)
SA40659	12V non-dimmable driver with ML block	15W	12	SA10315	Flexible Strip Link Wire Connector	19.69' (500mm)
SA40590	12V Day/Break dimmable driver with ML block	15W	12	SA10317	Flexible Strip Link Wire Connector	4.92' (1.5m)
SA40626	12V non-dimmable driver with ML block	30W	12	SA10316	Flexible Strip Corner Connector	1.97' (50mm)
SA40657	12V non-dimmable driver with ML block	60W	12	SA10318	Flexible Strip T-Strip Connector	2.76' (70mm)
				SA9009	ML Extension Cable	8.2' (2.5m)

ACCESSORIES

FEATURES

- Self-adhesive 3M tape backing allows for quick and simple installation
- Use this product for a variety of applications (over-cabinets, under-cabinet and at the toe kick to name a few)
- Over 90% less energy used when comparing to halogen - save money on electricity bills when switching from halogen to LED
- Long lamp life - lasts over 30 years at 4 hours per day
- Can be used with the range of Sensio switches and dimmers

sensio®



Certification
UL



Lifespan
50,000 hours



Dimmable
Yes



Connector
ML



Wattage
5.0

SA10312

Flexible 3.28' 5W 36 Diode Strip Light - This LED flexible strip measures 6.56' (2m) and is easy to install with the 3M self-adhesive backing. This product's flexibility makes it ideal for even the most demanding applications such as curved walls or cabinetry. Easy to customize, the strip can be daisy chained end-to-end for longer runs (up to 6 with a 30W driver) and can also be cut to length if required. Additional products such as the T-Shape strip, corner connectors, and several lengths of link cables ensure your creative vision may be realized. Available in both cool white and warm white light.

SPECIFICATIONS

Product Code	Voltage	LED Qty	LED Color	Temperature	Lumens	Beam	Length	Width	Depth
SA10312WH	12V	36	Cool White	5,000K	210 (42 LPW)	120°	3.28' (1m)	0.31" (8mm)	0.1" (2.5mm)
SA10312WW	12V	36	Warm White	3,200K	195 (39 LPW)	120°	3.28' (1m)	0.31" (8mm)	0.1" (2.5mm)

DRIVERS

Product Code	Description	Wattage	Ports	Product Code	Description	Length
SA40625	12V non-dimmable driver with ML block	6W	4	SA10314	Flexible Strip Driver Lead with ML Connector	8.2' (2.5m)
SA40659	12V non-dimmable driver with ML block	15W	12	SA10315	Flexible Strip Link Wire Connector	19.69' (500mm)
SA40590	12V Day/Break dimmable driver with ML block	15W	12	SA10317	Flexible Strip Link Wire Connector	4.92' (1.5m)
SA40626	12V non-dimmable driver with ML block	30W	12	SA10316	Flexible Strip Corner Connector	1.97' (50mm)
SA40657	12V non-dimmable driver with ML block	60W	12	SA10318	Flexible Strip T-Strip Connector	2.76' (70mm)
				SA9009	ML Extension Cable	8.2' (2.5m)

ACCESSORIES



FEATURES



Wattage
0.3



Lifespan
50,000 hours



Certification
UL

- Requires 4 x AAA batteries to run (not included)
- IR Sensor built-in (located in the center of the fitting)
- Two functions available: 1. Use as a drawer/in-cabinet light (the light switches on with the opening of a drawer/door - 2. Use as an under unit light (the light switches on/off when a hand passes the sensor)
- When used for 3 minutes per day, the batteries in the fitting will last approximately 1.5 years
- 2" (50mm) IR Sensor detection range
- Screws and adhesive pad included to install

SA9030HD

HD LED Battery Operated Utility Light - Providing an innovative solution for drawers, Sensio has developed the compact HD LED drawer light. Exclusively released by Sensio, the SA9030HD uses innovative sensor technology and energy efficient lighting. When motion is detected, the fixture illuminates the drawer with powerful HD LEDs. Maximizing storage space, these lights will make even the deepest, darkest and most awkward drawers fully accessible. The SA9030HD features the innovative High Definition technology which runs at only 0.3W. The SA9030HD HD LED light has very low energy consumption and produces no wasteful heat. In addition the LEDs have a long lamp life of approximately 40,000 hours which means that replacements will be few and far between. The sensor technology also ensures that energy will never be wasted as it is only active when necessary. Simple to install, the SA9030HD has no wiring as it is simply powered by 4 AAA batteries. Providing complete versatility, the unit can be mounted anyway you choose. Installing the light is simple using the included double sided 3M tape. Available in an aluminum finish.

SPECIFICATIONS

Product Code	LED Qty	LED Color	Temperature	Beam	Length	Width	Depth
SA9030HDALWH	4	Cool White	5,000K	80°	11.93" (303mm)	0.67" (17mm)	0.55" (14mm)

FEATURES

- Exclusively designed for LED products used indoors
- Switch mode power supply with 12VDC constant output voltage



sensio



Wattage
6.0



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40625

12V 6W Driver with 4 Port ML Block - Use this driver with ORANGE color coded products. The 6W driver is ideal if you have a small number of low wattage lights. This LED solution provides overload protection, open circuit protection, short circuit protection, and heat protection. The control gear will restart automatically after the fault conditions are removed for quick recovery of your lighting.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	λ	ta	tc	Length	Width	Depth
SA40625	12V	6W	0.5W	IP20	AC100-120V	50/60Hz	0.4c	-4 - 122°F (-20 - 50°C)	158°F (70°C)	2.68" (68mm)	1.34" (35mm)	0.79" (20mm)

FEATURES

- Exclusively designed for LED products used indoors
- Switch mode power supply with 12VDC constant output voltage



Wattage
15



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40659

12V 15W Driver with 12 Port ML Block - Use this driver with ORANGE color coded products. This LED solution provides overload protection, open circuit protection, short circuit protection, and heat protection. The control gear will restart automatically after the fault conditions are removed for quick recovery of your lighting.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	λ	ta	tc	Length	Width	Depth
SA40659	12V	15W	1W	IP20	AC120V	50/60Hz	0.8c	-4 - 95°F (-20 - 35°C)	167°F (75°C)	4.76" (121mm)	1.81" (46mm)	0.71" (18mm)

FEATURES

- Exclusively designed for LED products used indoors
- Switch mode power supply with 12VDC constant output voltage

sensio



Wattage
30



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40626

12V 30W Driver with 12 Port ML Block - Use this driver with ORANGE color coded products. This LED solution provides overload protection, open circuit protection, short circuit protection, and heat protection. The control gear will restart automatically after the fault conditions are removed for quick recovery of your lighting.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	λ	ta	tc	Length	Width	Depth
SA40626	12V	30W	0W	IP20	AC100~120V	50/60Hz	0.95c	-4 - 113°F (-20 - 45°C)	176°F (80°C)	5.95" (151mm)	1.61" (41mm)	1.22" (31mm)

sensio®



FEATURES

- Exclusively designed for LED products used indoors
- Switch mode power supply with 24VDC constant output voltage



Wattage
6



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40654

24V 6W Driver with 4 Port ML Block - Use this driver with GREEN color coded products. The 6W driver is ideal if you have a small number of low wattage lights. This LED solution provides overload protection, open circuit protection, short circuit protection, and heat protection. The control gear will restart automatically after the fault conditions are removed for quick recovery of your lighting.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	λ	ta	tc	Length	Width	Depth
SA40654	■ 24V	6W	0.5W	IP20	AC100-120V	50/60Hz	0.4c	-4 - 122°F (-20 - 50°C)	167°F (75°C)	2.68" (68mm)	1.34" (35mm)	0.79" (20mm)

FEATURES

- Exclusively designed for LED products used indoors
- Switch mode power supply with 24VDC constant output voltage



Wattage
20



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40655

24V 20W Driver with 12 Port ML Block - Use this driver with GREEN color coded products. This LED solution provides overload protection, open circuit protection, short circuit protection, and heat protection. The control gear will restart automatically after the fault conditions are removed for quick recovery of your lighting.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	λ	ta	tc	Length	Width	Depth
SA40655	24V	20W	0W	IP20	AC100~120V	50/60Hz	0.95C	-4 - 122°F (-20 - 50°C)	167°F (75°C)	5.71" (145mm)	1.99" (50mm)	0.87" (22mm)

FEATURES

- Exclusively designed for LED products used indoors
- Switch mode power supply with 24VDC constant output voltage



Wattage
30



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40656

24V 30W Driver with 12 Port ML Block - Use this driver with GREEN color coded products. This LED solution provides overload protection, open circuit protection, short circuit protection, and heat protection. The control gear will restart automatically after the fault conditions are removed for quick recovery of your lighting.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	λ	t_a	t_c	Length	Width	Depth
SA40656	24V	30W	0W	IP20	AC120V	50/60Hz	0.5c	-4 - 113°F (-20 - 45°C)	176°F (80°C)	5.95" (151mm)	1.61" (41mm)	1.22" (31mm)

FEATURES

- Compatible with standard "legacy" dimmer switches
- Preserves long life of LEDs

sensio®



Wattage
15



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40590

DayBreak 12V 15W Dimmable Driver with 12 Port ML Block - Use this driver with ORANGE color coded products. This is a unique LED Driver that allows the user to dim their LED cabinet lighting at the same time as their overhead lighting using existing "legacy" dimmer switches. These drivers are compatible with standard triach dimmer switches available in most DIY stores. One other great feature of the driver is because it dims on the high voltage side of the current, it preserves the long life of the LEDs it dims. Multiple drivers may be tied into the same dimmer switch allowing the whole kitchen to be dimmed off of one switch.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	ta	Length	Width	Depth
SA40590	12V	15W	1.25W	IP20	AC120V	60Hz	77°F (25°C)	4.72" (120mm)	1.77" (45mm)	0.79" (20mm)



FEATURES

- Compatible with standard "legacy" dimmer switches
- Preserves long life of LEDs



Wattage
15



Connector
ML



Lifespan
50,000 hours



Certification
UL

SA40591

DayBreak 24V 15W Dimmable Driver with 12 Port ML Block - Use this driver with GREEN color coded products. This is a unique LED Driver that allows the user to dim their LED cabinet lighting at the same time as their overhead lighting using existing "legacy" dimmer switches. These drivers are compatible with standard triach dimmer switches available in most DIY stores. One other great feature of the driver is because it dims on the high voltage side of the current, it preserves the long life of the LEDs it dims. Multiple drivers may be tied into the same dimmer switch allowing the whole kitchen to be dimmed off of one switch.

SPECIFICATIONS

Product Code	Voltage	Max Load	Min Load	IP Rating	Input Voltage	Input Freq.	ta	Length	Width	Depth
SA40591	24V	15W	1.25W	IP20	AC120V	60Hz	77°F (25°C)	4.72" (120mm)	1.77" (45mm)	0.79" (20mm)

FEATURES

- Can be used with 12V & 24V LED products
- Two functions of the sensor:
 1. Mount inside a cabinet – open door to activate light
 2. Mount under cabinet – lights are activated with hand wave
- 2-4" detection range, so unwanted detection is not a problem
- Can be surface mounted or recessed into molding
- Plug and play, and no additional wiring is required



Certification
UL

sensio®




SA40516

LED 12V/24V IR Switch - The Motion Sensor IR Light Switch detects motion (within 4") to turn on and off up to 5 fixtures or runs of light strips. Mount where a wave of the hand can activate lights (ideal for tasks where your hands may be dirty) or mount on the inside of cabinets or drawers to automatically illuminate interiors. The sensor comes with 59" (1500mm) of cable, a self adhesive pad, and a 6-port junction box. Two programmable modes are available to allow customizable behavior (hand wave vs. open close).

SPECIFICATIONS

Product Code	Voltage	Hole Cut	Length	Width	Depth
SA40516	  12V/24V	0.55" (14mm)	2.48" (63mm)	0.63" (16mm)	0.63" (16mm)

FEATURES



Dimmable
Yes



Certification
UL

- Wireless RF control for an easy, no wire installation
- Great for DIY installations
- Up to 4 zones per switch with easy push button pairing to the Quattro Dimming Receivers
- Unlimited receiver locations per zone with DC12-36V receiver input and output
- Multiple switches per zone for easy 2, 3, or 4 way control
- Can be ganged with AC120-240V switches or outlets saving space, simplifying electrical layout and drastically reducing labor and material costs
- Up to 100' of wireless operation, even through obstacles like walls
- Detachable face for easy handheld remote operation and battery changing
- Low cost, long life lithium 3V battery for up to 10 years of operation

SA440586



Quattro 4 Zone Wall Controller - With Quattro, building a smart home is easier than ever before. With two innovative, simple to use products, you can have full control of all your lighting in no time at all. Now you can control your lights with more than one controller as separate areas and as though they were connected! Have you ever wanted to control lights in two or more areas without the need to pull or run wires? The Quattro system does exactly that! It lets you individually control different zones independently or in a group. The Quattro system uses a strong RF signal that is able to travel through trees, buildings or glass, and can be used up to 100 feet away. Plus, with our integrated smart phone app, you'll be able to control everything from the palm of your hand. Controlling your lights has never been so easy! This battery powered, wireless wall unit will control four zones by simply pairing it to Quattro Dimming Receivers. This unit can also be detached from the wall plate and used as a mini remote.

SPECIFICATIONS

Product Code	Operating Voltage	Operating Frequency	Length	Width	Depth
SA440586	DC3V	434 MHz/868 MHz	4.125" (105mm)	1.75" (44mm)	.375" (10mm)

FEATURES

sensio



- Wireless RF control for an easy, no wire installation
- Great for DIY installations
- Up to 4 zones per switch with easy push button pairing to the Quattro Dimming Receivers
- Unlimited receiver locations per zone with DC12-36V receiver input and output
- Multiple switches per zone for easy 2, 3, or 4 way control
- Can be ganged with AC120-240V switches or outlets saving space, simplifying electrical layout and drastically reducing labor and material costs
- Up to 100' of wireless operation, even through obstacles like walls
- 256 Levels of extra smooth dimming
- Soft start On/Off for gradual dimming
- Intelligent Channel Assignment
- Up to 8Amps of Power
- 96W at DC12V

SA40587

Quattro Dimming Receiver - With Quattro, building a smart home is easier than ever before. With two innovative, simple to use products, you can have full control of all your lighting in no time at all. Now you can control your lights with more than one controller as separate areas and as though they were connected! Have you ever wanted to control lights in two or more areas without the need to pull or run wires? The Quattro system does exactly that! It lets you individually control different zones independently or in a group. The Quattro system uses a strong RF signal that is able to travel through trees, buildings or glass, and can be used up to 100 feet away. Plus, with our integrated smart phone app, you'll be able to control everything from the palm of your hand. Controlling your lights has never been so easy! The Quattro Dimming Receiver can work in any of the zones. It has a special "Learning Button" in the unit that will enable you to pair it to any of the zones. You can add as many receivers as you wish to create different control zones. Each zone can have an endless number of receivers, which will allow for large or small installations.

SPECIFICATIONS

Product Code	Operating Voltage	Operating Frequency	Length	Width	Depth
SA40587	DC3V	434 MHz/868 MHz	4" (102mm)	1.5" (38mm)	.81" (21mm)

FEATURES



Certification
ETL

- Aluminum casing and slim profile design, in-keeping with contemporary design trends
- Available with die cast metal top in Stainless Steel and Gun Metal
- Two USB ports integrated to charge the latest USB devices (maximum allowance 1300mA)
- IP54 rating allows for use around sinks
- Quick release catch to guarantee the unit will always close securely
- Neon green control switch provides a simple means of checking appliances have been turned off when not in use to save on energy bills
- Visible plugs and unsightly cables will no longer be seen as the SensioPod can be fully retracted while products are still plugged in
- Built-in fuse below the on/off switch for easy access

sensio®



SA80051

Pop Up Power and Charging Station - Providing a practical solution to power and charging needs, the SensioPod pops up to give access to power and USB outlets and then neatly retracts, hidden from view. The SensioPod is capable of closing to its retracted state while appliances are still plugged in. This novel solution features three power sockets and two USB ports. In keeping with contemporary design trends, the SensioPod has a modern aluminum casing. Comfortable and simple to use, it has a specially designed handle to allow it to be easily pulled out. Tested to ensure that it is durable and long lasting, Sensio has created a quick release catch to guarantee that it will always close securely. An illuminated neon green control switch indicates when the SensioPod is active. Produced to utilize space efficiently, the SensioPod can be cleverly situated in otherwise redundant space. Highly adaptable, it can be fitted into desks, work surfaces or kitchen islands, and even around sinks. Designed to withstand splashes, the IP54 rated SensioPod has built-in water channels that filter water away. The standard 120 volt outlets come with fuse protection. Standard with either an aluminum or black plastic top. Also available with either a gun metal or stainless steel metal top. To mount, cut a 2.25" (90-92mm) hole and simply place the pod in and lock down with the screw in locking collar.

SPECIFICATIONS

Product Code	Voltage	Finish	Material	Cable Length	Length	Width	Depth
SA80051AL	120V	Aluminum	Aluminum w/Plastic Top	4.92" (1.5m)	13" (330mm)	3.5" (89mm)	3.5" (89mm)
SA80051BK	120V	Black	Aluminum w/Plastic Top	4.92" (1.5m)	13" (330mm)	3.5" (89mm)	3.5" (89mm)
SA80051SS	120V	Stainless Steel	Aluminum w/Metal Top	4.92" (1.5m)	13" (330mm)	3.5" (89mm)	3.5" (89mm)
SA80051GM	120V	Gun Metal	Aluminum w/Metal Top	4.92" (1.5m)	13" (330mm)	3.5" (89mm)	3.5" (89mm)